| > | SEPARATOR S300 |
|---|-------------------|
| > | SEPARATOR S655 |
| > | SEPARATOR S855 |
| > | SEPARATOR S855 GB |
| > | PLUG & PLAY |



ΕN

۲





ECONOMIC SLURRY TREATMENT

۲



۲

BAU_017_10 FD Separator S300.indd 1

۲

🏈 BAUER

SEPARATOR 5300

Minimal total costs: energy efficient plus low initial investment

- Optimum cost-performance ratio
- Low operating costs

۲

- Less space required
- Ideal for small farms with limited energy resources
- Wide range of Agricultural based applications
- Long life of wearing components

We help to grow.

BAUER SEPARATOR S300

۲

۲

With our extensive range of slurry products we offer you the right tools. Since 1930 we have not only been concerned about the perfect equipment for the transportation of manure but also have been caring about the right treatment and spreading of manure. Furthermore, we are specialized in developing innovative solutions for the optimal and efficient preparation of manure.

۲

SEPARATOR S300



۲

BAUER technology leads in the separation of liquid from solid nutrients.

Product Description

۲

The new design Press Screw Separator 300 is a machine to separate solids and liquids with a rotating auger inside a full floating screen.

The medium is drained in the first part of the screen by gravitation. In the second step the medium is additionally extruded and exits the separator at the mouth piece.

In order to control dry matter content an output regulator is installed on the separator.

Site Suitability

The successor of the globally successful Compact Separator is a lower-cost alternative to the existing BAUER S655 line.

Where no separator is currently installed and the separation process will cut cost or add value.

Features and Benefits

- 2.2 kW motor
- Throughput up to 16 m³/h
- Dry matter content up to 32%

Technical Data

| Throughput, m³/h | up to 16 | |
|-----------------------|-------------------------|--|
| Dry matter content, % | 32 | |
| Input power, kW | 2.2 | |
| Screen sizes, mm | 0.25 - 0.5 - 0.75 - 1.0 | |



۲



PRODUCTS FROM OUR SLURRY PROGRAM



Tractor mixer



MAGNUM LEE/LEC Long shaft pump

۲



MSXH Submersible motor mixer



MAGNUM SM Thick matter pump gear unit design



۲

SEPARATOR Press screw separator for solid-liquid separation



MAGNUM CSPH Submersible motor pump gear unit design



SEPARATOR PLUG & PLAY System for portable slurry separation



۲

HELIX DRIVE Eccentric screw pump



MAGNUM SX Thick matter pump gear and pedestal pump



Slurry tankers and polyester tanker Different tanker types for every requirement



Trailing hose applicator Modular system for all types of tankers



Slurry injector Innovative spreading technology

Your dealer

Röhren- und Pumpenwerk BAUER GmbH

- 8570 Voitsberg/Austria **T** +43 3142 200-0
- **F** +43 3142 200-320/-340
- M sales@bauer-at.com
- W www.bauer-at.com



S-OI

Subject to change / SEPARATOR S300 / 10.2017